



MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

CHAMPION DYEING & FINISHING CO. INC.

27210021-1

1. MONTH OF APRIL 1, 2008 THRU APRIL 30, 2008

- | | | | |
|--|------------------------------------|------------------------------------|--------------------------------------|
| 2. Is Outlet # (8 digit) Correct? | Y | <input checked="" type="radio"/> N | N/A |
| 3. Is average Total flow-gal.day stated in space provided? | <input checked="" type="radio"/> Y | N | N/A |
| 4. Is max. Total flow-gal day stated in space provided? | <input checked="" type="radio"/> Y | N | N/A |
| 5. Is method used to calculate water stated? | <input checked="" type="radio"/> Y | N | N/A |
| 6. Are number of working days stated? | <input checked="" type="radio"/> Y | N | N/A |
| 7. Are there any parameters which have exceeded PVSC Local Limits? | Y | <input checked="" type="radio"/> N | N/A |
| 8. Is proper compliance/non-compliance statement provided? | <input checked="" type="radio"/> Y | N | N/A |
| 9. Have correct number of samples been submitted? | <input checked="" type="radio"/> Y | N | N/A |
| 10. Has PHC result been listed on MR-1 report? | Y | N | <input checked="" type="radio"/> N/A |
| 11. Has sample number been reported in space provided? | Y | <input checked="" type="radio"/> N | N/A |
| 12. Have all regulated parameters been listed on MR-1? | <input checked="" type="radio"/> Y | N | N/A |
| 13. Has sample type been stated on MR-1? | Y | <input checked="" type="radio"/> N | N/A |
| 14. Have all samples been taken during this reporting period? | <input checked="" type="radio"/> Y | N | N/A |
| 15. Has NJDEPE certified lab been used? | <input checked="" type="radio"/> Y | N | N/A |
| 16. Have analytical results been submitted on copies of Laboratory stationery? | <input checked="" type="radio"/> Y | N | N/A |
| 17. Have results been written in space designated on MR-1? | <input checked="" type="radio"/> Y | N | N/A |
| 18. Is correct method used to preserve samples stated on MR-1? | Y | <input checked="" type="radio"/> N | N/A |
| 19. Has MR-1 been signed by authorized representative? | <input checked="" type="radio"/> Y | N | N/A |
| 20. Has information been submitted on proper MR-1 form? | <input checked="" type="radio"/> Y | N | N/A |
| 21. Remove Arsenic from report if sampling not required | Y | N | <input checked="" type="radio"/> N/A |



MR-1 CHECK OFF LIST FOR NON-CATEGORICAL COMPANIES

CHAMPION DYEING & FINISHING CO. INC.

27210021

First Reviewer: comments on deficiencies REPORT NOT FILLED OUT CORRECTLY, WILL CALL
/ COMPLETE

Date Reviewed 6/12/08 Date sent to user _____

Date due back _____ Reviewer C.J.M.

Second review comments on deficiencies

Date Reviewed _____ Date sent to user _____

Date due back _____ Reviewer [Signature]

Date _____ Reviewer _____

Original

PORT RECEIVED
MAY 21 2008
INDUSTRIAL DEPARTMENT

~~MAY 21 2008~~

INDUSTRIAL DEPARTMENT

INDUSTRIAL DEPARTMENT

OUTLET #: 1

TELEPHONE: 9733459506

27220021-1

Average

Maximum

MONITORING PERIOD		
Start		
4	1	08
MO	DAY	YR

End		
4	30	08
MO	DAY	YR

Regulated Flow-gal/day

N/A

Total Flow-gal/day

$$90686 + 9069 = 99755$$

Method Used: PURCHASE WATER LESS 5%

Method Used: Factorial ANOVA

$2004640 - 100232 = 1904408 \div 21 = 90686$

Production Rate (if applicable).

[illegible]

PVSC FORM MR-1 REV: 4 6/87 P 1

EPA Request #: III.B.1.e.

PVSC40 - 00001029

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets):

COPPER, LEAD
MERCURY Nickel Not usedRECEIVED
MAY 21 2008
INDUSTRIAL DEPARTMENT

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every

parameter used: Champion Dyeing - Fin. in compliance

Explain Method for preserving samples:

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Janet Kansco
Signature of Principal
Executive or Authorized Agent

JANET KANSKO
BOOKKEEPER
Type Name and Title
5/21/08
Date

MAY.21.2008 12:58PM 9733405598

NO.358 P.1

Page 1 of 1



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300
877-772-7077

Date	May 03, 2008
Account Number	122163-98112
Date of Last Payment	Apr 22, 2008
Amount of Last Payment	\$3,685.51
Previous Balance	\$7,210.92
Current Charges	\$3,499.52
Total Amount Due	\$10,710.44
Due Date	Jun 02, 2008

SERVICE ADDRESS 192 PUTNAM ST, PATERSON

BILL TYPE MONTHLY BILL

Service Period

Mar 20 2008-Apr 18, 2008


Services

Description	Charge
SERVICE CHARGE	337.60
FIRST 333 CCF	462.87
NEXT 1,999,999 CCF	2699.05

Meters

Meter No	Meter Size	Current	Previous	Consumption
70025199	4 INCH	635	367	2680

Usage History (most recent first)



$$2680 \times 748 = 2004640 \times .95 = 1904408 \div 21 = 90686$$

DETACH HERE AND RETURN LOWER PORTION WITH YOUR CHECK OR MONEY ORDER



Passaic Valley Water Commission
P.O. Box 11393
Newark, New Jersey 07101-4393
973-340-4300

☐ To change mailing address check here and fill out back of form. Please include account number on check or money order. Make check or money order payable to PVWC.

Account Number	122163-98112
Due Date	Jun 02, 2008
Total Amount Due	\$10,710.44
Amount Enclosed	

Mailing Address:

Service Address:
192 PUTNAM ST, PATERSON

*B-VBU-CM-00095
CHAMPION DYE & FIN CO
PO BOX 359
PATERSON NJ 07544-0359

PASSAIC VALLEY WATER COMMISSION
PO BOX 11393
NEWARK NJ 07101-4393



000122163000098112000010710449

APR-15-2008 16:19 FROM:UPSTATE LABS 4371209

TO:19733452774

P:2/3

Upstate Laboratories, Inc.**Analytical Report**

Date: 15-Apr-08

CLIENT: Champion Dyeing & Finishing Co

Client Sample ID: Discharge Pipe

Lab Order: U0804074

Collection Date: 4/2/2008 11:45:00 AM

Project: Monthly Analysis

Lab ID: U0804074-001

Matrix: WASTE WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ICP METALS, TOTALS				E200.7	(E200.7)	Analyst: DRP
Cadmium	ND	0.005		mg/L	1	4/12/2008 10:40:35 AM
Zinc	0.067	0.010		mg/L	1	4/12/2008 10:40:35 AM
LABORATORY HYDROGEN ION (PH)				E150.1		Analyst: TC
pH	6.90	2.00		SU	1	4/7/2008 11:52:00 AM
RESIDUE, SUSPENDED (TSS)				E160.2		Analyst: DEY
Residue, Suspended (TSS)	27	1.0		mg/L	1	4/4/2008
BIOCHEMICAL OXYGEN DEMAND (5 DAY BOD)				E405.1		Analyst: VAW
Biochemical Oxygen Demand	126	60.0		mg/L	1	4/4/2008 8:00:00 AM

Approved By: CMZ

Date: 4/15/08

Page 1 of 1

Qualifiers:

- * Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- ** Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

May 21 2008 1:28PM HP LASERJET FAX

p. 3

Original

PRETREATMENT MONITORING REPORT

MAY 21 2008

NAME: CHAMPION DYEING & FINISHING CO., INC.

MAILING ADDRESS: 192 PUTNAM STREET PATERSON, NJ 07524

FACILITY LOCATION: 192 PUTNAM STREET PATERSON, NJ 07524

CATEGORY & SUBPART: 9999

OUTLET #: 1

CONTACT OFFICIAL: MOHAMED YOUNES

TELEPHONE: 9733459506

NEW CUSTOMER ID / OUTLET ID: 27210021 - 1 OLD OUTLET DESIGNATION: 27400270

MONITORING PERIOD

Start			End		
4	1	08	4	30	08
MO	DAY	YR	MO	DAY	YR

Regulated Flow-gal/day Average N/ATotal Flow-gal/day Maximum 90686 + 9069 = 99755

Method Used: PURCHASE WATER LESS 5%

2004640 - 100232 = 1904408 ÷ 21 = 90686

Production Rate (if applicable)

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE COMP/GRA
		MON AVG	MAXIMUM	UNITS		
Cadmium	Sample Measurement	7.005				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
Zinc	Sample Measurement	1057				
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

PVSC FORM MR-1 REV: 4/6/87 P 1

May 21 2008 1:28PM HP LASERJET FAX

p. 4

PRETREATMENT MONITORING REPORT MAY 21, 2008

Certification of Non-Use if applicable (use additional sheets):

Copper Lead
Mercury Nickel Not used

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every

parameter used: Champion Dyeing - Fin. in compliance

Explain Method for preserving samples:

I certify under penalty of law that this document and attachments were prepared under my direction or supervision
accordance with a system designed to assure that qualified personnel properly gather and evaluate the information subm
Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering
the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete.
I am aware that there are significant penalties for submitting false information, including the possibility of
fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Janet Kansco
Signature of Principal

Executive or Authorized Agent

Janet Kansco
Bookkeeper

Type Name and Title

5/21/08

Date

Upstate Laboratories, Inc. Chain of Custody Record

6034 Corporate Drive E. Syracuse New York 13057

Phone (315) 437 0256

Fax (315) 437 1209

Client Name

CHAMPION DYEING & FINISHING

MONTHLY ANALYSIS

Location (Shipping Address)

ROCCO ZAGRA

PATERSON, NJ

Sample ID

Date

Time

Matrix

GRAB OR COMPOUND

ULI Internal Use Only

DISCHARGE PIPE

4/2/08

11:45A

WASTE W20

COMP

WASTE W20

Number of Containers

2

Remarks

Parameter and Method

1 BOD, TSS, PH

2 TOTAL CD, ZN

3

4

5

6

7

8

9

10

Sample bottle:

Type

PLASTIC

PLASTIC

Size

100ML

500ML

Preservative

NONE

HN03

Sampled by (Print)

ROCCO ZAGRA

Company: CHAMPION

Refiniquished by (sign)

2 Rocco Zagra

Refiniquished by (sign)

Trude Lind

Refiniquished by (sign)

Trude Lind

Name of Courier

UPS

Received by (sign)

Karralle

Received by (sign)

Trude Lind

Received for lab by:

Trude Lind

Syracuse

Rochester

Buffalo

Albany

Binghamton

ELI